Deaths from vaccination quotes

[back] Deaths from vaccination [back] Vaccination quotes

See: Deaths and smallpox vaccination quotes

Disasters Quotes: crib death

Deaths from vaccination Vaccine

England and Wales

"Could the increase in all forms of meningitis and other infectious disease complications and deaths be because for the last 40+ years, the first thing parents do at the slightest sign of temperature is push <u>paracetamol</u>? I believe so."--<u>Hilary Butler</u> (VRAN Newsletter Jan-March 2003)

[1880] "25,000 bables are yearly sacrificed by diseases excited by Vaccination."
[1921] "6,000 infants are killed every year by Vaccination."

Anti-Vaccination League

Whoever is unable or unwilling to free himself at once and entirely from this sweet **Baal's** faith, may have the pleasure to look at the children whom my intervening protest has already saved from vaccination. The difference between vaccinated and not-vaccinated children is striking, and so palpable, that words are unnecessary. In families, those that are vaccinated, always give me the most trouble. [1856] Dr. C.G.G. Nittinger's Evils of Vaccination by Chr. Charles Schieferdecker M.D.

At the main hospital in Mbarara during that month of 1977 more than 600 children had died following polio vaccination. 600 children! A Transcript of a talk given by Kihura Nkuba (Nov 2002)

The vaccine activates the baby's brain microglia (called priming). Then, shortly after this, let's say the child develops an ear infection (otitis media). The ear infection once again activates the baby's immune microglia, but this time the activation is greatly aggravated because of the previous vaccine-induced priming, resulting in a seizure or even sudden death. The pediatrician will blame it on the ear infection, not the previous vaccine. Vaccine Safety Manual by Neil Z. Miller. Preface

FOIA Centre reply

We referred him to the judgement, of March 13, 2003 of the Osaka district court in Japan, which ruled that the death of two children (among numerous other serious conditions) were caused by Urabe MMR.

He said in response that Japan had a different Urabe MMR from the two Urabe MMR vaccines that were used in the UK.

However, it remains that it was established in this case – to the satisfaction of a court in Japan – that the deaths of two children were caused by Urabe MMR.

In addition, we referred him to several British cases where parents who claimed that their children had died as a result of Urabe MMR had received compensation under

the "vaccine damage payment" scheme.

He said in response that this does not establish that the deaths were in fact caused by the vaccine.

However, in one case a tribunal ruled against a previous assertion by the department of health that the claim by a mother that her daughter's death had been caused by Urabe MMR was unproven. Her claim was established at tribunal.

A separate tribunal awarded compensation in relation to another case where a child died after suffering brain damage caused by Urabe MMR. And another tribunal was persuaded that Urabe MMR was the likely cause of death in a further case.

Parents who have received compensation in such cases have indeed blamed MMR, including Urabe MMR, for causing the deaths of their children. Moreover, in some cases, their conclusions were endorsed by tribunals.

There can be no doubt, therefore, that we were entirely correct to say that Urabe MMR was blamed for the deaths of several children. We did not say that Urabe MMR had caused such deaths, merely that it had been blamed for doing so. We do not accept that the conclusions of tribunals should be dismissed. [2007] Parliament was given false MMR assurance

Three deaths were related to the vaccine. One physician's assistant reported that a female patient "died of a blood clot three hours after getting the Gardasil vaccine." Two other reports, on girls 12 and 19, reported deaths relating to heart problems and/or blood clotting. "The FDA adverse event reports on the HPV vaccine read like a catalog of horrors," stated Judicial Watch President Tom Fitton.....Of the 42 women who received the vaccine while pregnant, 18 experienced side effects ranging from spontaneous abortion to fetal abnormities. [May 2007] Judicial Watch Uncovers Three Deaths Relating to HPV Vaccine

Hepatitis B, OPV, DPT, MMR vaccines: Any acute complication or sequela (including **death**) of above events. National Childhood Vaccine Injury Act Vaccine Injury Table

What we do know is that U.S., where the vaccination is already in use, parent doctors have reported 117 deaths relatively soon after vaccination. There is no proof that vaccination was the cause, but the deaths remain obstinately unexplained. [Media Jan 2005 Prevnar vaccine] A JAB TOO FAR----Dr Richard Halvorsen

Incorrect handling of an opened vaccine vial can result in contamination of the reconstituted liquid with staphylococcal or other organisms. The organisms are able to grow in the liquid, all the more so if kept in a warm environment. Left for more than a few hours, the staphylococcus organism produces large quantities of toxin. If the vaccine contaminated with toxin is then used, the recipient can die within hours or become desperately ill. If recognized soon enough, the condition is possible to treat, but often the diagnosis is made too late and the child dies. Tragically, several children

are usually affected simultaneously through use of the same contaminated vial. Supplementary information on vaccine safety WHO/V&B/00

"The computer records from the National Vaccine Injury Compensation Program, obtained by Gannett News Service using the Freedom of Information Act as part of a four-month study of federal immunization policy, reveal: Of **253 infant death cases awarded** more than \$61 million by the U.S. Court of Federal Claims in the 1990s under the compensation program, 224, or 86 percent, were **attributed to vaccination with DTP**, the diphtheria, tetanus and pertussis (whooping cough) shot. In these cases, mortality was originally attributed to **SIDS in 90, or 40 percent,** of them. Of 771 total claims filed by parents from 1990 through mid-1998, 660, or 86 percent, contained assertions that DTP was the cause of death. And **43 percent were classified by medical authorities at time of death as SIDS cases."--NVIC http://www.909shot.com**

"Then suddenly the **deaths from Salk vaccine ceased to be reported**. In a letter published in *Defender Magazine*, the writer stated: "I am informed by someone who works in a newspaper office that much of the bad news concerning the results of the *Salk Program* is being censored and deleted out of the news to keep people complacent and acquiescent.""--Eleanor McBean

"In August the FDA acknowledged problems with the (anthrax) vaccine. The product insert was altered dramatically. It said the vaccine could harm people with immunity disorders, could cause a host of serious long-term adverse reactions and could already be responsible for **six deaths** and a number of birth defects."--Media Nov 2002

"AT LEAST 26 families claim their children died as a result of the controversial measles, mumps and rubella jab, the Sunday Express can reveal. In some cases the Government has awarded parents up to £100,000 under its 1979 Vaccine Damage Payment Act. In others, post mortem reports concluded the jab was the most likely cause of death. Despite this, the Department of Health insists no child has ever died from MMR."--Media

"The Government was last night accused of a cover-up over the safety of its mass meningitis immunisation programme after The Observer obtained confidential documents that show at least 11 people have died after injections to prevent the disease."--Media Aug 2000

"The death toll acknowledged by the Program during the past **7 years is 1094**, [FN2] and this excludes the death claims which fail under the strict legal rules for establishing causality. Former Food and Drug Administration Commissioner David Kessler said in 1993 that only about 1 percent of serious vaccine reactions are reported. [FN3] After two full years of speculation on this subject I have let myself believe that the serious adverse reaction rate is beween 1/3000 and 1/300, which would be from 333 to 3333 times more dangerous than the public health propaganda

suggests. Suppose my worst case scenario is right and 36 babies a day are dying for the war machine."----<u>Stan Lippmann</u>

"In just the first six months of the war, there were not just seven vaccination deaths, but there were 62 deaths from **yellow fever vaccine** alone. The men received from 14 to 24 vaccinations of all varieties......The report of the US Secretary of War, Henry L. Simpson regarding the deaths from yellow fever "shots" reads in part: "RECENT ARMY EXPERIENCE WITH YELLOW FEVER VACCINE RESULTED IN 28,505 CASES OF HEPATITIS (disease of the liver) WITH **62 deaths**, as of July 24, 1942."--Eleanor McBean

"There are something like 500 deaths *reported* to the FDA from hep B vaccines. The former FDA Commissioner Kessler has said vaccine adverse reactions are *underreported* by a factor of 10."---<u>Michael Belkin</u>

"In a year-long investigation of the Vaccine Adverse Reaction Reporting System (VAERS) operated by the Food and Drug Administration, NVIC/DPT analyzed VAERS computer discs used by the FDA to store data on reports of deaths and injuries following DPT vaccination. A total of 54,072 reports of adverse events following vaccination were listed in a 39-month period from July 1990 to November 1993 with 12,504 reports being associated with DPT vaccine, including 471 deaths. "Campaign Against Fraudulent Medical Research (CAFMR)

"From 1972 to 1979, a total number of 142 children and families sued the government for damages (flu vaccines). The total number of deaths were 50, severe developmental retardation were 65, and intractable epilepsy were 35."--<u>Japan</u>

"From July 1990 thro' April 1994, 5799 ADRs following MMR vaccination were reported to US Vaccine Adverse Events Reporting System (VAERS); including 3063 cases requiring emergency medical treatment, 616 hospitalisations, 309 who did not recover, 54 children left disabled and 30 deaths."--- John P Heptonstall

"Since July 1990, 17,497 cases of hospitalizations, injuries and deaths in America following hepatitis B vaccination have been reported to the Vaccine Adverse Event Reporting System (VAERS) of the U.S. government. This figure includes 146 deaths in individuals after receiving only hepatitis B vaccine without any other vaccines, including 73 deaths in children under 14 years old. In 1996 alone there were 872 serious adverse events in children under 14 years old reported to VAERS. 658 of those injuries were following hepatitis B vaccination in combination with other vaccinations and 214 of these injuries were after hepatitis B vaccination alone. In these children under 14 years old, there were 35 deaths after hepatitis B vaccination in combination and 13 deaths after hepatitis B vaccination alone, for a total of 48 deaths. Compare these statistics with the total number of hepatitis B cases nationwide

reported that same year (1996) in children under 14, *just* 279, and the conclusion is obvious that the risks of hepatitis B vaccination far outweigh its benefits."---<u>Incao's Hepatitis B Vaccination Testimony</u>

"Scientists are for the first time questioning the safety of the 60-year-old yellow fever vaccine after six suspicious deaths."--Media

"Only after realising that routine immunizations were dangerous did I achieve a substantial drop in infant death rates."--<u>Archie Kalokerinos</u>

M.D. http://www.pnc.com.au/~cafmr/newsl/kalo.html

"The worst vaccine of all is the whooping cough vaccine... it is responsible for a lot of deaths and for a lot of infants suffering irreversible brain damage. In susceptible infants, it knocks their immune systems about, leading to irreparable brain damage, or severe attacks or even deaths from diseases like pneumonia or gastro-enteritis and so on."---Archie Kalokerinos M.D.

"We commissioned an OPV Vaccine Report and started making all kinds of other inquires. The OPV Vaccine report that we received was a shocking report. It covered a recent period a little less than 5 years and the following is the summary for that period: The number of Vaccine Associated events that occurred: 13,641........The number of events resulting in death 540."--The Polio Connection of America http://idt.net/~w1066/poliov1.html

"Dr. Kevin Geraghty, Bay Area Physicians for the Study of Pertussis Vaccines: "The UCLA study showed one in 600 kids have shock like episodes. That is not controversial......I'm convinced in my heart of hearts that 100 American infants a year are dying and another 250 are brain-damaged from DPT. I would be prepared to clinically defend that to scientists." Geraghty believes as many as one in 15,000 children suffer brain damage and as many as one in 35,000 die following DPT vaccination."---Fresno Bee, DPT report 1984.

The US Federal Government's National Vaccine Injury Compensation Program (NVICP) has paid out over 724.4 million dollars to parents of vaccine injured and killed children, in taxpayer dollars. The NVICP has received over 5000 petitions since 1988, including over 700 for vaccine-related deaths, and there are still over 2800 total death and injury cases pending that may take years to resolve (NVICP, Health Resources and Services Administration).

"In 1890, Professor Koch, of Berlin, announced his discovery (?) of <u>tuberculin</u>, and, in common with all other kindred toxins and sera, the medical world forthwith hailed its appearance with enthusiasm. Those of us who have seen the disastrous results

following vaccination, in the dissemination of tuberculosis, and other diseases, may reasonably hesitate to accept all that is claimed for tuberculin as a "cure." Shortly after it was announced, test experiments were carried out in Berlin, but, unfortunately for both the discovery and the discoverer, from

November, 1890, to February, 1891, the **deaths of no fewer than 123 selected cases** were reported in the "*Zoophilist*," of 1st May, 1891 (page 18). After this, both Koch and his tuberculin fell under a cloud."---<u>LEICESTER: SANITATION versus VACCINATION BY J.T. BIGGS J.P.</u>

"One research worker in the laboratory had been immunizing animals against diseases like tetanus and Diptheria. His experience showed that after being immunized, some of the animals died suddenly within 24 hours. These deaths had been attributed to anaphylaxis. Authorities the world over had decided that this was so (it is a severe allergic reaction). I suggested that vitamin C deficiency was the cause. The animals involved did not make their own. Like primates they required it in their diet. To discover the truth only required a simple experiment.....

The result was definite, unquestionable and final. Half of a group of animals were supplemented with vitamin C before being immunised. None died. The unsupplemented half continued to die at rates equal to those found in previous experiments.

The importance of this discovery can hardly be stressed. In Australia and all over the world, infants were being immunised. Those whose vitamin C status was low were at risk. here, at last, was experimental evidence that supported my claims that stepping up immunisation campaigns among Aboriginal infants increased the death rate." Every Second Child by Dr Archie Kalokerinos, M.D. (p.139-140)

My paper on "Coagulopathy mistaken for Shaken Baby Syndrome" was rejected – it recorded the case of a child given six vaccines on the same day and who was ill with fever, irritability and diarrhoea the next day and was dead three weeks later. Death was certified to be due to the Shaken Baby Syndrome on the evidence of Pathologists, Paediatricians and Radiologists when all the haematological and biochemical evidence clearly indicated death was due to a coagulopathy following hepatic insufficiency and malnutrition. [BMJ Aug 2002] History repeats itself (shaken baby syndrome)

In April 2004, <u>Michael D Innis</u>, the renowned Australian pathologist-hematologist and an expert on SBS, wrote in a communication to the British Medical Journal (BMJ): ". in spite of being repeatedly challenged to document a single authenticated case of shaken baby syndrome or shaking/impact Injury, no one has been able to do so. All they are required to do to convince judges, juries, and those of us who regard the condition as a spurious diagnosis, is present a case which:

1. was not vaccinated within 21 days of the onset of symptoms;

- 2. was shown to have a normal coagulation/hemostatic system;
- 3. had no evidence of malnutrition, and was not artificial fed or premature, since these factors predispose to fractures .

If the numerous pediatricians, ophthalmologists, radiologists and pathologists, who have given evidence in courts in the U.K., U.S. and Australia, are unable to document a single properly investigated case, there is good reason to abandon the diagnosis." Shaken Baby Syndrome And Multiple Vaccinations: An Investigation By Red Flags Columnist, F. Edward Yazbak, MD, FAAP

They will have successfully demolished my explanation if they can document a single case of Shaken Baby Syndrome or "inflicted shaking/impact injury" (as they prefer to call it), which occurred outside the 21-day period and in which a disorder of haemostasis, nutrition, or liver disease was convincingly excluded.

I repeat, the diagnosis of Shaken Baby Syndrome or inflicted shaking/impact injury is a proven figment of the imagination of some in the medical profession and should be relegated to the scrap heap of history before it causes any more shame to the profession and disaster to innocent families. Source

This correspondence recalls your earlier reports about the conviction of Sally Clark for murder in trials for the sudden deaths of her two infants, and about her own death after the conviction had been annulled. I am writing about this because on 18th August 1999 I was approached by solicitors in Manchester who were defending Mrs Clark against the charge of having murdered her two infant sons, Christopher in 1996 and Harry in 1998. They asked me to read and advise them on reports on these deaths by paediatricians, pathologists and other experts beginning with the autopsies performed by Dr Williams, the Coroner's pathologist at Macclesfield, Cheshire.

I found, as Dr Williams did, that the two deaths were different and that for this and other reasons, the reports sent to me were confusing, contradictory and inconclusive. None of them offered a conclusion fulfilling the requirement that a verdict of unnatural death had to be beyond reasonable doubt, so I wrote back to the defending solicitors to say that a charge of murder was unjustified. The same opinion was given by one of the experts, Professor John Emery, a leading authority in the UK on Sudden Unexplained Infant Deaths (SUID). Christopher had been cremated but Professor Emery had conducted a second autopsy on Harry in the presence of another expert witness. He was unable, under the circumstances, to give a definite opinion about the cause of death but he did exclude, as I did, unnatural death due to murder. We agreed that the deaths were different and noted that Harry had received an injection of triple vaccine about 4 hours before his death which could have occurred after admission to hospital. I had already asked the solicitors for more details, and was awaiting a reply from them to enable me to write a fuller report.

I was therefore astonished to read some months later in The Times that Sally Clark

had been tried at Chester Crown Court and found guilty of murdering her two infant sons. I wrote immediately (on 24th April, 2000) to the solicitors questioning this verdict. They did not reply but I learned that neither Professor Emery's report nor mine had been quoted in Court, and that conviction by the jury had apparently been based on the Judge's acceptance of the opinion of Sir Roy Meadow that the chance of the second death (of Harry) being natural in the circumstances was one in 73 million. I regarded this as an absurd and unproven statistic, and was surprised also that the Defence had failed to refer to Emery's report and mine which were favourable to their client.

The solicitors in Manchester did not reply to a second letter but I then received a call from a new solicitor (JB) who wanted to consult me about the verdict, and his instruction by Sally, her husband and father to appeal against it. They were consulting me because Dr W H (Bill) Inman, former Principal Medical Officer at the Ministry of Health and Chief Medical adviser to the Committee on the Safety of Medicines had recommended that they should do so because of my experience with vaccines. We arranged a meeting at my home and he came there with Sally's father (FL) and more evidence. We discussed the case and the reasons for appeal for several hours, and arranged a further meeting, at Sally's father's residence in Salisbury where he had been Superintendent of Police until his retirement, A long sequence of telephone calls, correspondence and a further meeting followed, and led to the Appeal, which was rejected by three Judges who sidelined the one in 73 million statistic. Additional evidence was available from a professor of paediatric neurology and a professor of epidemiology, both from centres of excellence respectively in USA and UK. Their opinion was that the injection of pertussis vaccine given along with other vaccines was more likely than not to have been the cause of Harry's death, and that Christopher's death was different.

All of this and much more clinical and forensic detail about the two deaths is available in the transcripts, correspondence and especially in the book Stolen Innocence by John Batt, all of which contain additional reasons for questioning the conviction. For instance, it was revealed that the medics who transported Harry alive to the hospital in Macclesfield and the three doctors – a casualty officer, a registrar and a consultant paediatrician - who examined and tried unsuccessfully to revive him were not called to give evidence. There is no proof anywhere that the vaccines used (DTP/Hib/Polio) cause death but the pertussis component was the whole cell preparation are known to be associated with apnoea, shock, encephalopathy, and very occasionally with deaths, which led Sir Graham Wilson, former and first Director of the PHLS, to say in his book on Hazards of Immunization that life-spoiling and threatening reactions, especially after pertussis vaccine and in the context of incomplete or non -protection were too frequent to justify mass vaccination. These features, widely-recognized internationally, led some countries in the 1960's and others later to omit pertussis from childhood programmes and to replacement of the

whole-cell vaccine with an acellular replacement. In the UK, this did not happen until 2006. It should be noted also that the three main manufacturers of pertussis vaccine in the UK and 10/13 in the USA withdrew their products between 1978 and 1986. These facts are important because vaccination is compulsory in most States of the USA and some in the EC. This removes the safeguard of parental option, respect for contraindications and medical discretion.

This information was understandably lacking in Clare Dyer's short article. Sally Clark was acquitted after five years in prison only because bacteriological reports about a questionable staphylococcal infection had been with-held by Dr Williams and others from the previous hearings. The success of Dr Williams's appeal ensures that expert witnesses can overlook or with-hold essential evidence without fear of the penalty that can be imposed legally on criminal defendants, of whom Sally is just one. [2008] Rapid Responses to Does cot death still exist?