

Lies on vaccine leaflets

[Parent Vaccine Leaflets](#) [Lies](#)

[Vaccine leaflets are full of lies, you only have to see the [Package Inserts](#) to see that. They are written for 5 year olds, probably by vaccine companies. This is the state of mind they want parents in. See [Rapport/Transference](#)]

See: [The 'vaccines are safe' lie](#), [The 'vaccines are effective' lie](#), [The 'Vaccines are adequately tested' lie](#)

“Before 1988 (when the MMR was introduced) more than half the acute measles deaths occurred in previously healthy children who had not been immunised,” -----
Immunisation against infectious diseases HMSO London 1996 para 22.1.5, p126, ----
as pointed out by Dr Donegan: [\[Letter BMJ Feb 2005. Measles deaths & Autism diagnosis\]](#)

This is a lie as the stated reference source: [C L MILLER. Deaths from measles in England and Wales, 1970-83. British Medical Journal, Vol 290, 9 February 1985](#) states "No attempt was made to establish further clinical details, vaccination history, or social class."

Below are some extracts from this vaccine leaflet:

"Before any vaccine can be used it has to go through many tests. Research from all over the world shows that vaccines are the safest way of protecting your child's health. Each vaccine is continually checked after it has been introduced and action is taken if it is needed. If a vaccine is not safe it is not used."--UK

PHLS <http://www.immunisation.org.uk/immpub.html> (July 2001) [Frequently Asked Questions about immunisation](#)

"Before any vaccine can be used it has to go through many tests

See: [The 'Vaccines are adequately tested' lie](#), [Profits vs. Safety](#)

"The evaluation of safety and efficacy and federal approval of Prevnar is laden with ethical questions. Many of the doctors directly involved in the testing and approval process appear to have significant conflicts of interest. The efficacy of the vaccine is questionable and safety testing has been terribly inadequate. There are no long-term studies (i.e. more than 5 years) of the chronic, debilitating and life threatening

diseases that this vaccine may cause. The fact that the vaccine is bio-engineered by combining various types and portions of bacteria should require it to undergo considerable scrutiny. Assuming the vaccine has any efficacy at all, the need for universal vaccination needs to be reexamined in light of the small number of children who might be at risk from serious complications from pneumococcal disease. "---
[Michael Horwin, MA](#)

"Research from all over the world shows that vaccines are the safest way of protecting your child's health."

Purely allopathic 'research', if it even exists. Apart from [diet](#), [sanitation](#), clean water, [nutrient supplements](#), [breastfeeding](#), [chiropractic](#), [naturopathy](#), [homeopathy](#) etc.

"If a vaccine is not safe it is not used"

See: [This vaccine is safe](#)

Apart from the ones they withdraw as unsafe! Like [Rotavirus](#) and the last [MMR vaccine](#) and [Vaccine Disasters](#). This statement makes the assumption vaccines are safe but no vaccine is completely safe as has been demonstrated by the \$1 Billion paid out to [vaccine victims](#) in the USA. A blatant lie.

"Both DTP and DTaP are safe and effective. Because DTaP is the safer of the two vaccines."--Bruce Gellin, MD, MPH, Executive Director, National Network for Immunization Information (Response To Redbook [August 24, 2000])
<http://www.vaccinationnews.com/DailyNews/May2001/GellinToRedbook.htm>

2. "Does whooping cough vaccine cause brain damage? NO....some very careful research has been done..and it has shown that there is no proof...those cases reported were due to brain disease."--UK Health Dept 1998-2001 Vaccine Leaflet [Childhood immunisations--government leaflet \(UK\)](#)

"It now transpires that during the Clinical Trials children did in fact suffer severe and irreversible brain damage as a result of the Pertussis Vaccine and accepted as such by Medical Experts appointed by the Department of Health.....It is now an established fact that the present figure now stands at over 900 which is an absolute disgrace in a civilised country."--M Wain <http://www.whale.to/vaccines/wain.html>

[Severe brain damage testimonies](#)
[Severe brain damage: media stories](#)

DPT Deaths:

[No mention of deaths on UK leaflets:](#)

For DPT vaccine VAERS reports of 144 deaths per year (1990-1993)

"In a year-long investigation of the Vaccine Adverse Reaction Reporting System (VAERS) operated by the Food and Drug Administration, NVIC/DPT analyzed VAERS computer discs used by the FDA to store data on reports of deaths and injuries following DPT vaccination. A total of 54,072 reports of adverse events following vaccination were listed in a 39-month period from July 1990 to November 1993 with 12,504 reports being associated with DPT vaccine, including **471 deaths**." [Campaign Against Fraudulent Medical Research \(CAFMR\)](#)

Dr Geraghty claims 100 DPT death per year in 1984:

"Dr. Kevin Geraghty, Bay Area Physicians for the Study of Pertussis Vaccines: "I'm convinced in my heart of hearts that 100 American infants a year are dying and another 250 are brain-damaged from DPT. I would be prepared to clinically defend that to scientists." Geraghty <http://www.whale.to/vaccines/fresno.html>

"Medical opinion is united."

This is blatant [Authority ploy](#)

3 Medical opinion is united "The conclusion that "the evidence favours rejection of a causal relationship at the population level between MMR vaccine and autistic spectrum disorders (ASD)" is in line with that of the Committee on Safety of Medicines (CSM), the Joint Committee on Vaccination and Immunisation (JCVI), the Medical Research Council (MRC), the Medicines Control Agency (MCA), the World Health Organisation and a newly released statement from the American Academy of Paediatrics (AAP), not to mention the British Medical Association, the Royal College of General Practitioners, and the Royal College of Nursing."--[MMR Vaccine given the all clear](#)

All the allopath groups and allopath run committees agree!

4. "Are there any side effects of the MMR vaccine? Occasionally, children do have a bad reaction to the MMR vaccine. About one child in a thousand will have a fit.Although [encephalitis](#) (inflammation of the brain) has been reported very rarely after immunisation, the risk of children developing encephalitis after the measles immunisation is no higher than the risk of children developing encephalitis without the vaccine. ...A study of British children shows that during the 10 years after the measles immunisation, children had no more illnesses than children who had not been immunised - and actually had fewer because they were protected against measles and did not suffer its complications. Your child may get a rash of small bruise-like spots after the MMR, but this is very rare."--[Childhood immunisations--government leaflet \(UK\)](#)

MMR vaccine VAERS reports 7 deaths per year (1990-1994):

"From July 1990 thro' April 1994, 5799 ADRs following MMR vaccination were reported to US Vaccine Adverse Events Reporting System (VAERS); including 3063 cases requiring emergency medical treatment, 616 hospitalisations, 309 who did not recover, 54 children left disabled and 30 deaths."--- [John P Heptonstall](#)

It is not just [autism](#) caused by the MMR vaccine, dozens of other conditions are linked to the vaccine <http://www.whale.to/vaccine/mmr2.html>

[Autism](#) (287), [Crohn's disease](#) and other serious chronic stomach problems (136), [Epilepsy](#) (132), Other forms of brain damage (including [meningitis](#), [cerebral palsy](#), [encephalopathy](#), [encephalitis](#) etc.) (77), [Hearing](#) and [vision problems](#) (81), [Arthritis](#) (50), Behavioural and learning problems (in older children) (110), [Chronic fatigue syndrome](#) (41), [Diabetes](#) (15), [Guillain-Barre syndrome](#) (9), [Idiopathic thrombocytopaenic purpura \(and other purpuras\)](#) (6), [Subacute Sclerosing Panencephalitis \(SSPE\)](#) (3), Wegener's Granulomatosis (2), [Leukaemia](#) (1), [Multiple sclerosis](#) (1), [Death](#) (18). ([Dawbarns fact sheet.](#))

At the last count 1800 families (UK) are involved in MMR vaccine damage **litigation** <http://www.hodge-jones-allen.co.uk/>

"To date (September 1998) in excess of 900 families have contacted the JABS group (1,800 to Dawbarns Solicitors) to report serious health problems following the MMR vaccination."--[JABS](#)

5 "Hepatitis B vaccine Are there any side effects? Side effects of the vaccine tend to be quite mild. The injection site is often red and can be sore for a few days afterwards."--[Childhood immunisations--government leaflet \(UK\)](#)

That's it for side effects!!

[Side effects to hepatitis B vaccine](#)

A French court found that hepatitis B vaccine was the cause of **multiple sclerosis**

"British Firm to Compensate Two French Multiple Sclerosis Victims"

Agence France Presse (www.afp.com) (05/03/01)

A French court has upheld a lower court ruling that found a link between GlaxoSmithKline's hepatitis B vaccine and multiple sclerosis (MS) and has ordered the company to pay two women who contracted MS after receiving the vaccine an as-yet undetermined amount of compensation. The ruling is important, because it rejected arguments that a direct and irrefutable link between the vaccine and MS is needed, said Gisele Mor, the plaintiffs' attorney. "It ruled that barring scientific evidence, serious, precise, and similar evidence was enough proof," Mor noted.

This is old news on this vaccine and MS.

"My involvement in the field of vaccine toxicity began in 1979 when I discovered that central nervous system demyelination (Multiple Sclerosis) had been caused, in some individuals, by the swine flu vaccine. My involvement was heightened when I found the same thing occurred after hepatitis B vaccination. These findings have been confirmed by many others and have been extended to include other untoward reaction to hepatitis B vaccine. Reactions include other autoimmune diseases such as rheumatoid arthritis, optic neuritis, postvaccinal encephalomyelitis and possibly juvenile diabetes."--[Dr Waisbren](#)

"I have obtained the FDA adverse reaction list of over 8000 individuals with reported adverse reactions for the past 4 years (Merck vaccine only, does not include the Smith Kline vaccine which I have been told includes another 15,000 or more). The vast majority of adults who have these same symptoms including rash, joint pain, chronic fatigue, neurological disorders, neuritis, rheumatoid arthritis, lupus like syndrome and multiple sclerosis like syndrome."--Dr Bonnie Dunbar

The warning on the **package insert** looks to be about right although will they take "no causal relationship" out in future?

"Less common systemic complaints, not necessarily related to vaccine, include low-grade fever, malaise, fatigue, arthralgia, arthritis, myalgia, headache, dizziness, syncope, nausea, vomiting, diarrhoea, abdominal pain, lymphadenopathy, abnormal liver function tests, and rashes, rarely including urticaria. Severe skin disorders such as erythema multiforme have exceptionally occurred.Neurological manifestations

occurring in temporal association have been reported with the vaccine and include very rarely paraesthesia and extremely rarely paralysis, neuropathy and neuritis including Guillain-Barre syndrome, optic neuritis and multiple sclerosis. No causal relationship has been established."--EngerixB

Fancy a mixture with hep A vaccine?

[TwinrixAdult \(Hep A & B\)](#)

"very rarely reported: allergic reactions mimicking serum sickness, vasculitis, syncope, hypotension, lymphadenopathy, cases of peripheral and/or central neurological disorders, and may include multiple sclerosis, optic neuritis, myelitis, Bell's palsy, polyneuritis such as Gullain-Barré syndrome (with ascending paralysis), meningitis, encephalitis, encephalopathy, thrombocytopenic purpura, erythema exsudativum multiforme."---Twinrix Adult

VAERS reports show numerous deaths and serious reactions.

"The total 24,775 VAERS hepatitis B reports from July 1990 to October 31, 1998 show 439 deaths and 9673 serious reactions involving emergency room visits, hospitalization, disablement or death.....The hep B adverse event cover-up is way bigger than the AHP diet-drug cover up."--Michael Belkin

Don't forget that doctors only report from 2-10% of adverse reactions.

"Before the latest round of injections, we had 205 parents contact us over a 5 year period....But only seven of those cases have been officially reported by doctors (3.4%)."---Jacki Fletcher of [JABS](#) (MMR vaccine)

You don't need package inserts of VAERS reports to find out about the vaccines adverse reactions. There are numerous citations (which seem more than any other vaccine) along with numerous personal testimonies

According to a recent federal government study, serious adverse events after the vaccine -including 48 deaths - are reported three times as frequently as cases of hepatitis B in children under the age of 14.

6 "Are there any side effects of the BCG immunisation? A small blister or sore appears where the injection is given. This is quite normal. It gradually heals leaving a small scar."---- [Childhood immunisations--government leaflet \(UK\)](#)