## Cot death (SIDS) and vaccination

[back] Cot death

"Scientific evidence shows that babies can have severe adverse reactions to vaccinations at critical intervals following their shots, and that vaccination is the more likely cause of cot death and shaken baby syndrome." <u>VACCINATION AND THE DYNAMICS OF CRITICAL DAYS</u> by Viera Scheibner, PhD

"I have never seen a SIDS death in a healthy breastfed baby, unvaccinated, who has slept on anything from here to Timbuctoo. Over the 19 years in IAS, we have never seen one."--Hilary Butler

Articles

Media stories

**Citations** 

Quotes: Cot death & vaccination

Quotes: Deaths from vaccination

Quotes: Vitamin C & crib death

DPT package insert

Litigation deaths

**VAERS** 

Books

Change in SIDS post-mortem policy

**SIDS** semantics

"I have never seen a SIDS death in a healthy breastfed baby, unvaccinated, who has slept on anything from here to Timbuctoo. Over the 19 years in IAS, we have never seen one."

**Hilary Butler** 



[vid] Vaccines and Toxins Cause Autism, Sudden Infant Death Syndrome, SIDS & Crib Death Dr. David Davis, MD gives insight into the multiple toxins along with an intensive vaccine schedule that ultimately contributes to the rise of Autism and Crib Death (Sudden Infant Death Syndrome, or SIDS). His book, "Dancing Cats, Silent Canaries—A Traditional Medical Doctor Takes A Closer Look At Unsolved Epidemics Of Autism & SIDS And Proposes A Solution," brings to light that multiple vaccines early in life combined with the highly toxic PVC used to make baby mattresses and cribs contribute to the alarming rate of Crib Death (Sudden Infant Death Syndrome, or SIDS) and Autism.

**See**: <u>Dr Robert Reisinger Cot-death media stories</u> <u>Shaken Baby</u> Syndrome Munchausen's Syndrome by Proxy

**See**: Deaths & vaccination

See: Sally Clark

## [2008] Rapid Responses to Does cot death still exist?

"I have never seen a SIDS death in a healthy breastfed baby, unvaccinated, who has slept on anything from here to Timbuctoo. Over the 19 years in IAS, we have never seen one."

**Hilary Butler** 



**Hilary Butler** 




## HIDING VACCINE DEATHS: THE DIAGNOSIS LIE

"Scientific evidence shows that babies can have severe adverse reactions to vaccinations at critical intervals following their shots, and that vaccination is the more likely cause of cot death and shaken baby syndrome."

Viera Scheibner, Ph.D. (2004)


Viera Scheibner, Ph.D. VACCINATION AND THE DYNAMICS OF CRITICAL DAYS by Viera Scheibner, PhD



establishment is sick. It's either sick or it's criminal. Or bot

[vid] Vaccines Are Not Safe. Boyd Hayley lays out Dr Offit Haley Ph.D., Boyd

Boyd Haley Ph.D.



2/3 of 103 infants had been vaccinated with pertussis prior to death, of which 6.5% died within 12 hours; 13% within 24 hours; 26% within 3 days; 37%, 61% & 70% within 1, 2, & 3 weeks respectively. Source: Torch W., Neurology - 32 (4 - Pt. 2) A, 1982, pp. 169-170.

Prior to contemporary vaccination programs, 'Crib death' was so infrequent that it was not mentioned in infant mortality statistics. For the first time in history, most US infants were required to receive several doses of DPT, polio, measles, mumps, and rubella vaccines. Shortly thereafter, in 1969, medical certifiers presented a new medical term—sudden infant death syndrome. In 1973, the National Center for Health Statistics added a new cause-of-death category—for SIDS—to the ICD. SIDS is defined as the sudden and unexpected death of an infant which remains unexplained after a thorough investigation.

Sudden Infant Death Syndrome (SIDS)